



DECLARATION OF PERFORMANCE

No.: Rifix_Ansetzbinder_90_LE_0621

Product Type

EN 14496:2005

Identification of the construction product

Rifix Ansetzbinder 90
Batch identification consists of production date and serial number of the bag
printed on the bags

Intended use
SAINT-GOBAIN

**Gypsum based adhesive for thermal/acoustic insulation composite panels and
plasterboards
For general building construction**

Manufacturer

**Saint-Gobain Rigips GmbH
Schanzenstraße 84
D-40549 Düsseldorf**

Systems of assessment and verification of constancy of performance

System 4

The initial type testing according to EN 14496 was performed by the manufacturer. A factory production control system in compliance with EN ISO 9001 : 2008 adapted to EN 14496 is established to ensure that the construction products conform with the declared performance characteristics.



Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire (R2F)	A1	EN 14496
Bond strength	> 0,06 MPa	EN 14496
Dangerous substances	NPD	EN 14496

The performance of the product for which this DoP has been issued is in conformity with the declared performance.
 This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:


Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany
 (name und function)


Ladenburg, 08.06.2021
 (place and date of issue)


 Saint-Gobain Rigips GmbH
 Dr.-Albert-Reimann-Str. 20 • D-68526 Ladenburg
 (signature)

Raimund Heintl, Managing Director
 (name und function)

Düsseldorf, 07.07.2021
 (place and date of issue)


 Saint-Gobain Rigips GmbH
 Schanzenstr. 84 • D-40549 Düsseldorf
 (signature)

	
Saint-Gobain Rigips GmbH, Schanzenstraße 84, D-40549 Düsseldorf	
21	
Rifix Ansetzbinder 90 LE 0621	
EN 14496:2005	
Gypsum based adhesive for thermal/acoustic insulation composite panels and plasterboards For general building construction	
Reaction to fire (R2F):	A1
Bond strength:	> 0,06 MPa
Dangerous substances:	NPD

