



DECLARATION OF PERFORMANCE

No.: Rigips_GK-Form_LE_0613

Product Type

EN 520 : A – 6,0

Identification of the construction product

Rigips GK-Form

Batch identification consists of identification code of the production plant, production date and time printed on the back of the board

Intended use

Plasterboard for the use in buildings

Manufacturer

**Saint-Gobain Rigips GmbH
Schanzenstraße 84
D-40549 Düsseldorf**

Systems of assessment and verification of constancy of performance

**System 3 for reaction to fire
System 4 for all other properties**

The notified body

**LAPI Laboratorio Prevenzione Incendi spa
– Kennnummer: 0987**

performed the initial type testing regarding the reaction to fire and issued the following classification report:

LAPI n° ACL/570/08/CPD/520

Regarding the other characteristics the initial type testing according to EN 520 was performed by the manufacturer. A factory production control system in compliance with EN 520 is established to ensure that the construction products conform with the declared performance characteristics.

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A2-s1, d0 (C.2)	EN 520
Shear strength per fastener	NPD	EN 520
Flexural strength (flexural breaking load)	fulfilled	EN 520
Water vapour resistance factor	10	EN 520
Thermal conductivity	0,21 W/(m*K)	EN 520
Dangerous substances	NPD	EN 520
Airborne sound insulation Impact resistance Acoustic absorption	see system documentation of Saint-Gobain Rigips GmbH	EN 520

The performance of the product for which this DoP has been issued is in conformity with the declared performance.
This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Dr. Rüdiger Vogel, Managing Director
(name and function)

Düsseldorf, 27.06.2018
(place and date of issue)


(signature)

Saint-Gobain Rigips GmbH
Schanzenstr. 84 • D-40549 Düsseldorf